

12/17/2012

11/16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D C 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

December 17, 2012

Ms Heather Masch
Regulatory Affairs Associate
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094-3688

Subject Label Notification(s), Pesticide Registration Notification (PRN) 98-10
Hartz® Reference #135, EPA Reg No 2596-168
Your Submission Dated May 31, 2012

Dear Ms Masch

The Agency is in receipt of your application for Pesticide Notification under Pesticide Registration Notification (PRN) 98-10 (addition of alternate brand names), dated May 31, 2012, for the referenced product. The Registration Division has conducted a re-review of this request for its applicability under PRN 98-10, and finds that the action(s) requested fall within the scope of PRN 98-10.

Please be reminded that 40 CFR §156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-Notification/PRN 98-10) or durably marked on the container itself.

The label submitted with this application has been time-stamped "Notification," and will be placed within the administrative file for this product. If you have any questions, please contact Mr. Carmen Rodia at (703) 305-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely yours,

A handwritten signature in black ink, which appears to read "Richard J. Gebken", is written over a horizontal line.

Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)



United States
Environmental Protection Agency
Washington DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1 Company/Product Number 2596 168	2 EPA Product Manager R Gebken	3 Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) Hartz Reference #135	PM# 10	
5 Name and Address of Applicant (Include ZIP Code) The Hartz Mountain Corporation 400 Plaza Drive Secaucus NJ 07094-3688 <input type="checkbox"/> Check if this is a new address	6 Expedited Review In accordance with FIFRA Section 3(c)(3) (b)(i) my product is similar or identical in composition and labeling to EPA Reg No <u>NOTIFICATION</u> Product Name <u>DEC 17 2012</u>	

Section - II

<input type="checkbox"/> Amendment Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification Explain below	<input type="checkbox"/> Other Explain below

Explanation Use additional page(s) if necessary (For section I and Section II)

Addition of alternate brand names per PR Notice 98 10

This notice is consistent with the provisions of PR Notices 98 10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98 10 and 40 CFR 152.46 this product may be in violation FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1 Material This Product Will Be Packaged In				2 Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt	No per container	If Yes Package wgt	No per container
3 Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4 Size(s) Retail Container		5 Location of Label Directions <input type="checkbox"/>	
6 Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)				
Name Heather Masch		Title Regulatory Affairs Specialist		Telephone No. (Include Area Code) 201 271-4800 ext 7036
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.				6 Date Application Received (Stamped)
2 Signature 		3 Title Regulatory Affairs Specialist		
4 Typed Name Heather Masch		5 Date 5/31/12		

9/16

HARTZ®

THE HARTZ MOUNTAIN CORPORATION 400 PLAZA DRIVE SECAUCUS NEW JERSEY 07094 201/271-4800
REGULATORY AFFAIRS

May 31 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900 One Potomac Yard
2777 South Crystal Drive
Arlington VA 22202-4501

Attention Mr Richard Gebken (PM # 10)
RE Hartz Ref 135
EPA Reg No 2596-168
Addition of alternate brand names per PR Notice 98-10

Dear Mr Gebken

The Hartz Mountain Corporation, 400 Plaza Drive Secaucus, NJ 07094-3688 is filing this notification to add additional brand names for the product **Hartz Ref 135, EPA Reg No 2596-168**


The Hartz Mountain Corporation is submitting the following information

- A completed application (EPA Form 8570-1) and,
- Three copies of the proposed notification label

"This notice is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR §152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions or need additional information please feel free to contact me at (201) 271-4800, ext 7036 or hmasch@hartz.com

Sincerely,



Heather Masch
Regulatory Affairs Associate

Hartz® Reference # 135

Alternate Brand Names

NOTIFICATION

DEC 17 2012

Hartz® UltraGuard Plus® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® UltraGuard Plus® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® UltraGuard Plus® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Hartz® UltraGuard Plus® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Hartz® UltraGuard Plus® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Hartz® UltraGuard Plus® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]
Hartz® InControl® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® InControl® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® InControl® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Hartz® InControl® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Hartz® InControl® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Hartz® InControl® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]

Hartz® InControl Advanced® Flea & Tick Topical Drops for Dogs [(&) (and) Puppies]
Hartz® UltraGuard PRO® Flea & Tick Treatment for Dogs [(&) (and) Puppies]

Hartz® Revo® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Revo® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]
Hartz® Revo360® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Revo360® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]
Revo® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Revo® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]
Revo360® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Revo360® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Revo360® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Revo360® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Revo360® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Revo360® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]

Revo® Topical Treatment for Dogs [(&) (and) Puppies]
Revo360® Topical Treatment for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Treatment for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Treatment for Dogs [(&) (and) Puppies]

Hartz® Pro Force™ Topical Solution for Dogs (& Puppies)
Pro Force™ Topical Solution for Dogs (& Puppies)

Hartz® FieldForce™ Topical Solution for Dogs (& Puppies)
FieldForce™ Topical Solution for Dogs (& Puppies)

Hartz® First Defense™ Topical Solution for Dogs (& Puppies)
First Defense™ Topical Solution for Dogs (& Puppies)

First Defense™ Topical Solution for Dogs (& Puppies)

Hartz® Pro Force™ Dual Action Topical Solution for Dogs (& Puppies)
Pro Force™ Dual Action Topical Solution for Dogs (& Puppies)

Hartz® FieldForce™ Dual Action Topical Solution for Dogs (& Puppies)
FieldForce™ Dual Action Topical Solution for Dogs (& Puppies)

Hartz® First Defense™ Dual Action Topical Solution for Dogs (& Puppies)
First Defense™ Dual Action Topical Solution for Dogs (& Puppies)

Field & Stream® Flea & Tick Drops for Dogs [(&) (and) Puppies]
Field & Stream® by Hartz® Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Presents Field & Stream® Flea & Tick Drops for Active Dogs [(&) (and) Puppies]

Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]
Field & Stream® by Hartz® Flea & Tick Treatment [for Dogs (and) (&) Puppies]
Hartz® Presents Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]

~~Field & Stream® Dual Action Flea & Tick Treatment [for Dogs (and) (&) Puppies]~~

[Each of the above brands will be packaged in the weight classes designated below]

Weighing 5 to 14 lbs
Weighing 15 to 30 lbs
Weighing 31 to 60 lbs
Weighing 61-150 lbs

(S) Only (for) Dogs & Puppies 5-14 lbs
(Small)
(M) Only (for) Dogs 15-30 lbs

(Medium)
(L) Only (for) Dogs 31-60 lbs
(Large)
(XL) Only (for) Dogs 61-150 lbs
(Extra Large)

ACTIVE INGREDIENTS

Etofenprox	55 0%
Piperonyl Butoxide (PBO)	10 0%
n-octyl bicycloheptene dicarboximide (MGK 264)	1 0%
Pyriproxyfen (Nylar)	0 5%
OTHER INGREDIENTS	<u>33 50%</u>
TOTAL	100 0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements

NET CONTENT Contains (*number*) tubes, each __ fl oz (__ ml)

Only For Dogs and Puppies 12 weeks and older Weighing	Net Contents (Each tube)
5 to 14 lbs	0 031 fl oz (0 91 ml)
15 to 30 lbs	0 066 fl oz (1 95 ml)
31 to 60 lbs	0 132 fl oz (3 90 ml)
61-150 lbs	0 220 fl oz (6 50 ml)

EPA Reg No 2596-168
EPA Est No

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation
Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (U S A)

[Cat Warning A cat prohibition icon will appear on the front panel and back panels and possibly an additional placement on a side panel] DO NOT USE ON CATS

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER

DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 5LBS (*Use on the 5 – 14 lbs package only*)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION Causes moderate eye irritation Avoid contact with eyes, skin or clothing Wash

thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco

HAZARDS TO DOMESTIC ANIMALS

DO NOT USE ON OTHER ANIMALS Do not use on dogs or puppies less than 12 weeks old or weighing less than 5lbs Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or on animals known to be sensitive to pesticide products without first consulting a veterinarian Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets If signs of sensitivity occur, bathe your pet with mild soap, rinse with large amounts of water, and consult a veterinarian immediately

ENVIRONMENTAL HAZARDS

This product is toxic to fish

FIRST AID

If in eyes •Hold eye open and rinse slowly and gently with water for 15-20 minutes
•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye •Call a poison control center or doctor for treatment advice **HOT LINE NUMBER** Have the product container or label with you when calling a poison control center, doctor or veterinarian, or going for treatment **For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER

DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 5LBS *(Use on the 5 – 14 lbs package only)*

DO NOT EXCEED RECOMMENDED DOSAGE AMOUNT FOR DOGS

DO NOT ALLOW YOUR DOG TO INGEST THIS PRODUCT

(The application steps below may optionally be numbered or bulleted to clarify the order, depending on the final physical layout of the label)

[Option 1]

Remove one applicator tube from the package and hold in an upright position (pointed away from your face) Pull off cap Turn the cap around and place on top of tube Simply press cap down to break the seal of the tube Remove cap carefully Position the tip of the tube on the dog's back between the shoulder blades Use the tip of the tube to part the dog's hair so that the product will be applied at skin level Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail Repeat every month (Do not bathe your dog 48 hours prior to application) Separate treated dog from

other (dogs and cats) (pets) for 24 hours after treatment has been applied

[Option 2]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back between the shoulder blades. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you (move) (glide) from the shoulder blades along the dog's back to the base of the tail. Repeat every month (Do not bathe your dog 48 hours prior to application). Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

[Option 3]

Remove one applicator tube from the package and hold in an upright position (pointed away from your face). Pull off cap. Turn the cap around and place on top of tube. Simply press cap down to break the seal of the tube. Remove cap carefully. Position the tip of the tube on the dog's back at the base of the dog's tail. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the base of the tail along the dog's back to the shoulder blades. Repeat every month (Do not bathe your dog 48 hours prior to application). Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

[Option 4]

Remove one applicator tube from the package and hold in an upright position pointed away from your face. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip. Position the dispensing tip on the dog's back at the base of the dog's tail. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you (move) (glide) from the base of the tail along the dog's back to the shoulder blades. Repeat every month (Do not bathe your dog 48 hours prior to application). Separate treated dog from other (dogs and cats) (pets) for 24 hours after treatment has been applied.

SIDE EFFECTS

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-275-1414.

[Cat Warning A cat prohibition icon will appear on the back panel.]

DO NOT USE ON CATS Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL Non-refillable container. Do not reuse or refill this container. *If empty* Offer for recycling, if available. *If partly filled* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our (flea and tick) experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E S T)

INDIVIDUAL TUBE TEXT

Hartz® UltraGuard Plus® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® UltraGuard Plus® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® UltraGuard Plus® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® UltraGuard Plus® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® UltraGuard Plus® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® UltraGuard Plus® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® UltraGuard Plus® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® UltraGuard Plus® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Control for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Control for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Control for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Control for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® UltraGuard Plus® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® InControl® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® InControl® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® InControl® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® InControl® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® InControl® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® InControl® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® InControl® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® InControl® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® InControl® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® InControl® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® InControl® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® InControl® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® InControl® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® InControl® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® InControl® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® InControl® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® InControl® Topical Flea & Tick Control for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]

Hartz® InControl® Topical Flea & Tick Control for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]

Hartz® InControl® Topical Flea & Tick Control for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]

Hartz® InControl® Topical Flea & Tick Control for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® InControl® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]
Hartz® InControl® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]
Hartz® InControl® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]
Hartz® InControl® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® InControl Advanced® Flea & Tick Topical Drops for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]
Hartz® InControl Advanced® Flea & Tick Topical Drops for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]
Hartz® InControl Advanced® Flea & Tick Topical Drops for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]
Hartz® InControl Advanced® Flea & Tick Topical Drops for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® UltraGuard PRO® Flea & Tick Topical Drops for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]
Hartz® UltraGuard PRO® Flea & Tick Topical Drops for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]
Hartz® UltraGuard PRO® Flea & Tick Topical Drops for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]
Hartz® UltraGuard PRO® Flea & Tick Topical Drops for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® UltraGuard PRO® Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]
Hartz® UltraGuard PRO® Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]
Hartz® UltraGuard PRO® Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]
Hartz® UltraGuard PRO® Flea & Tick Solution for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® UltraGuard PRO® Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 5 to 14 lbs]
Hartz® UltraGuard PRO® Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 15 to 30 lbs]
Hartz® UltraGuard PRO® Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 31 to 60 lbs]
Hartz® UltraGuard PRO® Flea & Tick Treatment for Dogs [(&) (and) Puppies] Weighing 61-150 lbs]

Hartz® Revo® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Revo® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]
Hartz® Revo360® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Revo360® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]
Revo® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Revo® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Revo® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]
Revo360® Dual Active Flea & Tick Drops for Dogs [(&) (and) Puppies]
Revo360® Dual Action Flea & Tick Drops for Dogs [(&) (and) Puppies]
Revo360® Topical Flea & Tick Prevention for Dogs [(&) (and) Puppies]
Revo360® Topical Flea & Tick Treatment for Dogs [(&) (and) Puppies]
Revo360® Topical Flea & Tick Control for Dogs [(&) (and) Puppies]
Revo360® Topical Flea & Tick Solution for Dogs [(&) (and) Puppies]

Revo® Topical Treatment for Dogs [(&) (and) Puppies]
Revo360® Topical Treatment for Dogs [(&) (and) Puppies]
Hartz® Revo® Topical Treatment for Dogs [(&) (and) Puppies]
Hartz® Revo360® Topical Treatment for Dogs [(&) (and) Puppies]

Hartz® Pro Force™ Topical Solution for Dogs (& Puppies)
Pro Force™ Topical Solution for Dogs (& Puppies)

Hartz® FieldForce™ Topical Solution for Dogs (& Puppies)
FieldForce™ Topical Solution for Dogs (& Puppies)

Hartz® First Defense™ Topical Solution for Dogs (& Puppies)
First Defense™ Topical Solution for Dogs (& Puppies)

First Defense™ Topical Solution for Dogs (& Puppies)

Field & Stream® Flea & Tick Drops for Dogs [(&) (and) Puppies]
Field & Stream® by Hartz® Flea & Tick Drops for Dogs [(&) (and) Puppies]
Hartz® Presents Field & Stream® Flea & Tick Drops for Active Dogs [(&) (and) Puppies]

Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]
Field & Stream® by Hartz® Flea & Tick Treatment [for Dogs (and) (&) Puppies]
Hartz® Presents Field & Stream® Flea & Tick Treatment [for Dogs (and) (&) Puppies]

~~Field & Stream® Dual Action Flea & Tick Treatment [for Dogs (and) (&) Puppies]~~

[Product name will be followed by weight of dog for which tube is intended]

[A second weight class designation may be printed on the tube]

(Only for dogs or puppies 12 weeks of age or older weighing)

(5 to 14 lbs)

(15 to 30 lbs)

(31 to 60 lbs)

(61-150 lbs)

[Active Ingredients]

Etofenprox 55 0%, PBO10 0%, MGK 264 1 0%, Nylar 0 5%

(Cat Icon with warning will appear on the tube) DO NOT USE ON CATS

Keep Out of Reach of Children

Caution

Read accompanying label before use

13/
16

Range of volumes from 0.031 fl oz (91 ml) to 0.220 fl oz (6.5 ml) depending upon weight of dog
EPA Reg No 2596-168
EPA Est No

OPTIONAL/ALTERNATE LABEL TEXT

Weighing 5 to 14 lbs
Weighing 15 to 30 lbs
Weighing 31 to 60 lbs
Weighing 61-150 lbs

(S) Only (for) Dogs & Puppies 5-14 lbs
(Small)
(M) Only (for) Dogs 15-30 lbs
(Medium)
(L) Only (for) Dogs 31-60 lbs
(Large)
(XL) Only (for) Dogs 61-150 lbs
(Extra Large)

(S) Only (for) (Small) (Dogs) (&) Puppies 5-14 lbs
(M) Only (for) (Medium) Dogs 15-30 lbs
(L) Only (for) (Large) Dogs 31-60 lbs
(XL) Only (for) (Extra Large) Dogs 60-150 lbs

Made in the USA

(Rapidly) (Quickly) eliminates fleas

Kills [(and) (&) Repels] Mosquitoes, Prevent re-infestation(s) for (28 days) (30 days) (1 month) (4 weeks)

Kills [(and) (&) Repels] Mosquitoes (before they bite) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Mosquitoes (for) (28 days) (30 days) (1 month) (4 weeks)

After the applied treatment has spread over the dog's body, this product will kill newly infesting fleas within 15 minutes

Within 24 hours of application, this product will kill fleas by contact within 15 minutes

When fully protected by full coverage of this product, infesting fleas will be killed within 15 minutes

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, (Flea larvae)(after contact)(through contact), Kills [(and)(&)Repels] Mosquitoes, Prevents re-infestation(s) (for)(28 days)(30 day)(1 month)(4 weeks)

Kills Fleas, Brown Dog (Ticks) (and) Deer Ticks, Flea Eggs, (Flea larvae) (through contact) (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Brown Dog (Ticks) (and) Deer Ticks, Flea Eggs, (Flea larvae) (after contact) (for) (28 days) (30 days) (1 month) (4 weeks)
Kills Fleas, Brown Dog (Ticks) (and) Deer Ticks, Flea Eggs, (Flea larvae) (after contact) (through contact)
Kills [(and) (&) Repels] Mosquitoes, Prevent re-infestation(s) (for) (28 days) (30 days) (1 month) (4weeks)
Kills [(and) (&) Repels] Mosquitoes (before they bite) (for) (28 days) (30 days) (1 month) (4weeks)
Kills Mosquitoes (for) (28 days) (30 days) (1 month) (4weeks)
Fast Acting
(Rapidly)(Quickly) eliminates fleas

Kills Fleas (that may transmit tapeworm) (for) (28 days) (30 days) (1 month) (4 weeks) (on dogs)
Kills fleas that may cause flea allergy dermatitis (and flea bite anemia) (for) (28 days) (30 days) (1 month) (4 weeks) (on dogs)
Kills Brown Dog Ticks and Deer Ticks (for) (28 days) (30 days) (1 month) (4 weeks) (on dogs)
Kills Flea Eggs (and Flea Larvae) (for) (28 days) (30 days) (1 month) (4 weeks)
Prevents Flea Eggs from hatching
Kills Brown Dog Ticks (for) (28 days) (30 days) (1 month) (4 weeks)
Kills Deer Ticks (that may carry Lyme disease) (for) (28 days) (30 days) (1 month) (4 weeks)(on dogs)
Kills all biting stages of Brown Dog Ticks and Deer Ticks
Kills adult Brown Dog Ticks and Deer Ticks, nymphs and larvae
Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, (Flea larvae)
Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, (Flea larvae) (through contact) (for) (28 days) (30 days) (1 month) (4 weeks)
Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, (Flea larvae) (after contact) (for) (28 days) (30 days) (1 month) (4 weeks)
Controls Flea (and) (Brown Dog Tick) (and) (Deer Tick) infestations (on dogs) (for) (28 days) (30 days) (1 month) (4 weeks)
Helps prevent re-infestation of fleas (and) (Brown Dog Tick) (and) (Deer Tick) (for) (28 days) (30 days) (1 month) (4 weeks)
Helps prevent flea (and) (Brown Dog Tick) (and) (Deer Tick) re-infestation (for) (28 days) (30 days) (1 month) (4 weeks)
Kills flea eggs and flea larvae to help prevent future re-infestations
Kills all stages of the flea life cycle
Breaks the flea life cycle
Repels Mosquitoes (before they bite) (for) (28 days) (1 month) (4 weeks)
Repels (and controls) Mosquitoes (for) (28 days) (1 month) (4 weeks)
Controls mosquitoes (for) (28 days) (1 month) (4 weeks)
Repels Mosquitoes that may transmit West Nile virus (for) (28 days)(1 month) (4 weeks)(on dogs)
Repels Mosquitoes that may transmit heartworm (for) (28 days)(1 month) (4 weeks)(on dogs)
Once-a month Flea (and Brown Dog Tick, and Deer Tick)(Prevention) (Treatment) (Control)

(Solution)

Monthly Flea (and Brown Dog Tick, and Deer Tick)(Prevention) (Treatment) (Control)

(Solution)

(28 day) (30 day) (1 month) (4 weeks)Flea (and Brown Dog Tick, and Deer Tick) (Prevention) (Treatment) (Control) (Solution)

Prevents flea eggs from developing into biting adults (for) (up to) (30 days) (1 month) (4 weeks)

Gentle protection for dogs (and puppies)

Quick drying formula

Dries quickly

Quick drying

Stays on and doesn't rub off

Spreads with dog's natural skin oils

Starts killing fleas within 15 minutes

Starts killing fleas within 15 minutes and lasts for 30 days (1 month) (4 weeks)

Kills fleas for 30 days (1 month) (4 weeks)

Prevents re-infestation(s) (for) (30 days) (1 month) (4 weeks)

Prevents and controls re-infestation(s)

Long lasting

Effective and convenient topical treatment

Kills fleas (and Brown Dog, Deer Ticks) through (after) contact

(With) patented applicator

(With) patent pending applicator

Easy spot on topical applicator

Waterproof control of flea eggs (and larvae)

Waterproof (control) to help prevent future flea infestation(s) (in the home) (by breaking their lifecycle)

Waterproof (control) helps prevent flea re-infestation(s)

Waterproof prevents flea re-infestation(s)

Waterproof flea re-infestation control

Kills fleas before they have a chance to lay eggs

New (Quick Drying) (Formula) (*claim to be removed after 6 months*)

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

1st dose, 2nd dose, 3rd dose (Xth dose)

First month, second month, third month (Xth month)

X-pack

X-tubes

Value pack

X month supply

X monthly treatment(s)

Fragrance-free

Unscented

Fresh (scent) (fragrance)

Powder (scent) (fragrance)
Pleasant (scent) (fragrance)
Spring Fresh Scent
(Convenient)(easy to use) applicator
X Pro-cision Flo® Applicator(s)
X Pro-Glide™ Applicator(s)
(Pro-cision Flo® Applicator) (Now) (featuring the angled)
(Pro-Glide™ Applicator) easily gets through dog's fur, for gentle on-skin application
(Pro-cision Flo® Applicator) (Now) (featuring the angled)
(Pro-Glide™ Applicator) quickly gets through dog's fur, for on-skin application
(Pro-cision Flo® Applicator) (Now) (featuring the angled)
(Pro-Glide™ Applicator) easily penetrates dog's fur, for gentle on-skin application
(Pro-cision Flo® Applicator) (Now) (featuring the angled)
(Pro-Glide™ Applicator) quickly penetrates dog's fur, for on-skin application

New Pro- Glide™ Applicator *(To be used only for the first 6 months)*
Pro-Glide™ Applicator gently glides through the dog's fur
Pro-Glide™ Applicator easily gets through dog's fur to minimize (oily) residue
Pro-Glide™ Applicator easily penetrates dog's fur to minimize (oily) residue
Pro-Glide™ Applicator features rounded edges for gentle on-skin application
Pro-Glide™ Applicator glides smoothly through the dog's fur
Pro-Glide™ Applicator features an angled tip to help guide the application
Easy to use Pro-Glide™ Applicator
Direct to your dog's skin
Easy (simple) to use (handle) (apply)
(Featuring the) (with) EZC™ tube
(Featuring the) (with) EZ2C™ tube
(Featuring the) (with) EZView™ tube
(Featuring the) (with) Clearview™ tube
(Clearview™) (EZC™) (EZ2C™) (EZView™) tube (visually) ensures all product has been dispensed
(Clearview™) (EZC™) (EZ2C™) (EZView™) tubes give you the assurance all the product has been applied

After application, the treated area may appear wet (or) (oily) for up to 24 hours
You may bathe your dog 48 hours after application
To help remind you when you last applied treatment, simply write in the date when each dose is applied
First Dose _____
Second Dose _____
Third Dose _____
Xth Dose _____

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation